CERMEX SW

SIDE LOADING CASE PACKER FOR RSC AND/OR WRAP AROUND CASES/ TRAYS



Performance through **Understanding**



SIDE LOADING CASE PACKER FOR RSC AND/ OR WRAP AROUND CASES/TRAYS

RSC









A SIDE LOADING SOLUTION FOR RSC AND WRAP AROUND BLANKS TO MEET YOUR SPECIFIC REQUIREMENTS:

Technical characteristics

- Numerous hygiene adaptations
- Same case automation module for both RSC and wrap around blanks
- Extremely compact 4m² footprint
- Ability, within the same footprint, to seal cases with glue or tape
- Case magazine height lowered to 850mm to improve blank handling by the operator
- Collating system adapted to the nature, shape and rigidity of the product

Advantages

- Absence of product retention zones so that products fall directly on the ground, at the infeed, collation and loading stations, thanks to sloping plates
- Improved operator access to the case handling part, in particular the loading station
- Size changeover times optimised thanks to centralised setting points and the integration of changeover assistance via IVO digital counters (as an option)
- Integration of labeller and/or ink jet coder, whatever the machine configuration
- Optional control of products at the infeed by integrated vision system

Performance

- For requirements in terms of speed and smooth handling, the loading operation can be carried out by a
 "Pick & Pack" gripper: pneumatic, mechanic, robotic, 2-axis, 3-axis, 6-axis, or Scara
- Speed: up to 13 cases per minute depending on the type of product and collation

- Forming, side loading and sealing on a single machine for three types of packaging
- Patented case extraction system
- Very compact and uniform unit
- Advanced ergonomics and accessibility




WRAP AROUND CASES














	Speed	Length (L)	Width (B)	Height (H)	Top Flap	Bottom Flap	
SW21.40 Adhesive tape / RSC Case	11 c/min	150/450	140/375	110/400	70/187.5	70/187.5	290/750
Holt Melt glue RSC Case	12 c/min	150/450	110/375	110/400	55/187.5	55/187.5	260/750
SW22.40 Holt Melt glue / Wrap around	13 c/min	150/320	150/350	110/400	75/175	75/175	450/950
SW23.40 Holt Melt glue / RSC Case	12 c/min	150/450	110/375	110/400	55/187.5	55/187.5	750
Holt Melt glue / Wrap around	13 c/min	150/320	150/350	110/400	75/175	75/175	450/950

3

Sidel is a leading provider of equipment and services solutions for packaging beverage, food, home and personal care products in PET, can, glass and other materials.

With over 40,000 machines installed in more than 190 countries, we have nearly 170 years of proven experience, with a strong focus on the factory of tomorrow with advanced systems, line engineering and innovation. Our 5,500+ employees worldwide are passionate about providing solutions that fulfil customer needs and boost the **performance** of their lines, products and businesses.

Delivering this level of performance requires that we stay flexible. We continuously ensure we **understand** our customers' changing challenges and commit to meeting their unique performance and sustainability goals. We do this through dialogue and by understanding the needs of their markets, production and value chains. In turn, we apply our solid technical knowledge and smart data analytics to ensure lifetime productivity reaches its full potential.

We call it Performance through Understanding.

190415 – The information in this document contains general descriptions of technical options available, which do not always have to be present in each individual case. The required features should therefore be specified in each individual case at the time of closing the contract. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, without previous written approval by the Sidel Group. All Sidel Group's intellectual property rights, including copyright, are reserved by the Sidel Group. All other trademarks are the property of their respective owners.

Performance through Understanding

