

BEER MARKET

COMPLETE LINE IS A COMPLETE SOLUTION



PET



CAN




GLASS



*Performance
through
Understanding*


 **Sidel**

GLASS SOLUTIONS





PET SOLUTIONS





Overwrapping EVOFILM

- High-quality shrink- wrapped packs
- Robustness and maintainability for speed up to 150 cycles per minute in 3 lanes
- Operability and flexibility, 5 minutes fully automatic changeover



Overwrapping & Packing VERSACOMBI

- Largest secondary packaging capabilities to cope with various supply chain needs
- Speed up to 65 cycles/min with wrap around/tray and up to 120 cycles/min with film only for small collations
- Easy to operate with one single operator on a compact layout



Drying GEBO OPTIDRY

- High precision and low energy consumption for perfect drying efficiency
- Speeds depending on the application
- Optimal drying thanks to adjustable plenum positioning and unique nozzle design



Filling EVOFILL CAN

- Delivering premium beer cans at an advanced performance level
- From 40,000 to over 130,000 cans per hour
- Electronic-volumetric filling



Filling STARCANS MS

- Compact and simple beer can production
- From 10,000 to 36,000 cans per hour
- Mechanical level filling



Pasteurizing SWING

- Optimal flavour and bacteriological quality with unprecedented low energy consumption
- Most accurate thermal treatment for required pasteurization effect
- Unsurpassed water savings thanks to Swing® water cycle control device



Conveying GEBO AQ-HC

- High capacity and pressureless mass accumulation particularly suited to high speed lines with large production flow variations
- Up to 120,000 cans per hour
- Simple mechanical design with mobile end guide



Conveying GEBO AQ-MAX

- Large capacity and low-pressure mass accumulation offering optimized space ratio
- Up to 70,000 cans per hour
- Simple and open conveyor design




Depalletising SWEEPOFF A

- High level depalletizer for loose cans with automated pad/frame/hood/pallet handling
- Proven technology delivering high outputs up to 144,000 cans per hour
- Simple design to guarantee operation efficiency and high performance



Palletising EVOFLEX

- Fastest columnar low-level palletiser on the market: up to 12 layers per minute
- Double lifting unit on a single central column for a greater machine accessibility
- Advanced and user-friendly experience with tablet-based multitouch panel PC



ENGINEER YOUR PLANT



PLANT
DESIGN



PROCESS
& UTILITIES



CONTROLS
& AUTOMATION



PACKAGING
LINE DESIGN & INTEGRATION

DESIGN YOUR PACKAGING AND MAKE IT REAL



PACKAGING
AND PREFORM
DESIGN



PACKAGING
INNOVATION



PACKAGING
OPTIMISATION



PACKAGING
QUALIFICATION



LIQUID-PACKAGE
INTERACTION ANALYSIS

ENSURE AND EXPAND YOUR COMPLETE LINES PERFORMANCE OVER TIME



090919 – The information in this document contains general descriptions of technical options available, which do not always have to be present in each individual case. The required features should therefore be specified in each individual case at the time of closing the contract. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, without previous written approval by the Sidel Group. All Sidel Group's intellectual property rights, including copyright, are reserved by the Sidel Group. All other trademarks are the property of their respective owners.